

2012 Annual Water Quality Report

Public Water System
Identification No.
NY 2902830

Water Authority of Western Nassau County, 58 South Tyson Avenue, Floral Park, NY 11001

Communities Served

Bellerose

Elmont

Floral Park

Floral Park Centre

Franklin Square *

Garden City *

New Hyde Park

North Valley Stream *

South Floral Park

Stewart Manor

Valley Stream *

* Partially served communities

Appointed Board Members

George Bakich

Town of Hempstead

Aly Kayne

Town of Hempstead

Marianna Wohlgemuth

Town of North Hempstead

Susan Powderly

Village of Bellerose

Dominick Longobardi

Village of Floral Park

Bart Brown

Village of Garden City

Reid Sakowich

Village of New Hyde Park

Arlene McMullan

Village of South Floral Park

Christopher Gorman

Village of Stewart Manor

A Message from the Chairman

Dear Water Authority Customer:

We are pleased to provide this year's Annual Water Quality Report. In accordance with New York State Public Health Law and Federal regulations, this report provides information about the quality of your drinking water, including a summary of the laboratory results for all testing performed during 2012. Our water is continually tested by an independent laboratory service that uses the most sophisticated equipment and advanced testing procedures currently available.

The purpose of this report is to aid your understanding of the source of your drinking water, help you to understand the process by which safe drinking water is delivered to your home and educate customers about the importance of preventive measures, such as source protection, that ensure a safe drinking water supply. Educated customers are more likely to help protect their drinking water sources and to appreciate the challenges and the true costs of providing safe drinking water.

The Water Authority has always assured the safety of its customers and employees, as well as the protection of its water system assets. We remain dedicated to providing a continuous and reliable supply of high qual-

ity drinking water. You can be confident that the water delivered to your home meets all Federal, State and Nassau County standards for quality and safety.

We encourage you to review the enclosed test results and other important information included in this report. Additional copies of this report, as well as a supplemental package of complete water quality data of both treated and untreated water for each well placed in service during 2012, are available at our business office located at 58 South Tyson Avenue, Floral Park, New York, 11001. This year's Annual Water Quality Report, as well as several prior years' reports and other useful information, can be found on our website at www.wawnc.org.

The annual Chairman's Report to the customers within the Water Authority's service area is also included in this document and can be found on page 7. I am happy to report that one of the two iron removal plants under construction has been completed (Well Station No. 28 in Elmont) and the second (Well Station No. 30 in Franklin Square) should be completed some time this May. The Water Authority committed \$790,000 for the design and construction of

these two iron removal facilities. The plant in Elmont was designed to treat two wells at the site, one of which is a high capacity well which had previously been out of service for over 20 years due to the high level of iron. Since October 2012 when the iron filtration system was put into service, over 300 million gallons of water have been treated and supplied to the customers in that distribution area.

Additionally, construction of the Water Authority's new headquarters is nearing completion. We hope to move into our new space by the end of the summer, or early fall at the latest. While we will miss Floral Park, we are looking forward to our new home which is at our Well Station No. 40 located in New Hyde Park. We will notify our customers as soon as we have an actual moving date.

Our employees look forward to serving you in 2013 and beyond.

As always, we welcome your comments and suggestions. Please contact us at (516) 327-4100 or by e-mail at inquiry@wawnc.org.

Sincerely,

John E. Ryan

Chairman

About the Water Authority

The Water Authority is a corporate governmental agency constituting a public benefit corporation which was organized and exists under and by virtue of the laws of the State of New York. The Water Authority provides the essential services of extraction, treatment, distribution and sale of water for residential, commercial, industrial and public fire protection purposes.

The Water Authority is governed by a Board of Directors consisting of nine members, two appointed by the Town of Hempstead, one appointed by the Town of North Hempstead and one member each appointed by the village boards of the Villages of Bellerose, Floral Park, Garden City, New Hyde Park, South Floral Park and Stewart Manor. Each member's term is for a period of two years.

The Water Authority's Board of Directors conducts regularly scheduled meetings which are generally held on the fourth Monday of each month beginning at 7:00 p.m. at our business office in Floral Park. A public notice is submitted to the local newspapers and libraries each month announcing the time and date of the regular meeting, as well as any specially scheduled meeting. In addition, a notice is posted at our office location, as well as on our website at www.wawnc.org, generally two weeks prior to the meeting.

Are there contaminants in our drinking water?

As New York State ("State") regulations require, the Water Authority routinely tests your drinking water for numerous contaminants. These contaminants include: total coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, haloacetic acids, radiological and synthetic organic compounds.

The table presented on page 4 depicts which contaminants were detected in your drinking water. The State allows water systems to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Therefore, some of our data, though representative of the water quality, is more than one year old.

In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The State Department of Health's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. You can obtain more information about contaminants and potential health effects by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791 or the Nassau County Department of Health at (516) 227-9692.

Do I need to take special precautions?

Some people may be more vulnerable to disease-causing microorganisms or pathogens in drinking water than the general population.

Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water.

EPA/Center for Disease Control guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline at (800) 426-4791.

What does this information mean?

As you can see by the testing results in the table on page 4, our treated water system had no violations, nor have we violated a maximum contaminant level ("MCL") or any other water quality standard. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below New York State requirements. Our comprehensive water quality monitoring and testing confirmed that there was no need to remove any well from service due to water quality in 2012, nor were there any restrictions of our water source. Wells which have aesthetic problems, such as high iron concentrations, or which have higher electrical or chemical treatment costs, are primarily used only during the summer months when the demand for water is higher.

There were many individual contaminants that were analyzed for but not detected. These non-detected contaminants include the following:

Microbiological contaminants such as *turbidity*;

Principal organic contaminants such as *benzene, bromobenzene, chloromethane, styrene, vinyl chloride*;

Specific organic chemicals and pesticides such as *aldicarb, aldrin, carbofuran, dioxin, endoathall, endrin, propachlor*;

Physical and inorganic contaminants such as *arsenic, cadmium, detergents (MBAs), fluoride, silver, thallium*;

Unregulated contaminants such as *dimethoate, alachlor, acetochlor*.

A complete list of non-detected contaminants can be obtained by contacting Robert Swartz, Chief Engineer, at (516) 327-4100.

Coming Soon

Watch for an announcement of our upcoming move to 1580 Union Turnpike, New Hyde Park, hopefully the end of this summer.



Artist Rendering of new Water Authority Headquarters currently under construction

Water Source

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants, inorganic contaminants, pesticides and herbicides, organic chemical contaminants, and radioactive contaminants.


All of the water supplied by the Water Authority comes from groundwater drawn from 24 drilled wells located in the aquifer system beneath the land surface. The Water Authority has wells in the Upper Glacial, Magothy and Lloyd aquifers. These wells range in depth from 87 to 722 feet.

Water Treatment

All well water is treated with chlorine (sodium hypochlorite) prior to distribution for disinfection purposes. Disinfection is mandated by the State Sanitary Code to assure that the water, which is free of bacteria as it is pumped from the aquifer, maintains its bacteria-free quality within the distribution system. Other treatment that the water receives before entering the distribution system includes the use of:

- **Caustic soda** (sodium hydroxide) to neutralize the naturally acidic water found in Long Island groundwater. Raising the pH level to a neutral range of approximately 7.5 minimizes the corrosion of water mains, service lines and household plumbing.
- **Zinc metaphosphate** to sequester iron, a mineral which is found naturally in Long Island groundwater. This sequestering agent combines with the iron and prevents the iron from discoloring the water. Since high water temperatures can cause the iron to come out of solution and possibly stain clothing, customers are advised to use cold or warm water when washing laundry to minimize this problem.
- **Zinc orthophosphate**, a corrosion inhibitor which coats the surface of our water mains and service lines thereby reducing corrosion and extending their useful service life.
- **Air strippers and granular activated carbon treatment** are used to remove Volatile Organic Compounds from the water prior to distribution. These compounds have entered the water supply as a result of improper disposal practices by industries and have been detected in groundwater.

These forms of treatment all comply with applicable Federal, State and local drinking water standards.



Source Water Assessment

The Source Water Assessment was carried out by the New York State Department of Health, with assistance from the local health department and CDM, a consulting firm, to identify the vulnerability of individual wells used by public drinking water systems to potential sources of contamination by microbials, nitrates, pesticides and volatile contaminants based on current land uses and water pumping patterns.

The source water assessment for this system has been completed based on available information, evaluating possible and actual threats to this drinking water source. The source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how rapidly contaminants can move through the subsurface to the wells. The susceptibility of a water supply well to contamination is dependent upon both the presence of potential sources of contamination within the well's contributing area and the likelihood that the contaminant can travel through the environment to reach the well. The susceptibility rating is an estimate of the potential for contamination of the source water; it does not mean that the water delivered to consumers is, or will become contaminated. See the "Table of Detected Contaminants" found on page 4 for a complete list of contaminants that have been detected in your drinking water. The source water assessments provide resource managers with additional information for protecting source waters into the future.

Drinking water is derived from 21 wells. The source water assessment has rated most of the wells as having a very high susceptibility to industrial solvents and most of the wells as having a high susceptibility to nitrates. The very high susceptibility to industrial solvents is due primarily to point sources of contamination related to transportation routes and commercial/industrial facilities and related activities in the assessment area. The high susceptibility to nitrate contamination is attributable to high density residential and commercial land use and related practices in the assessment area, such as fertilizing lawns.

A copy of the assessment, including a map of the assessment area, can be reviewed upon request by contacting the Water Authority's Chief Engineer, Robert Swartz, at (516) 327-4100.

TABLE OF DETECTED CONTAMINANTS

Contaminant	Date of Sample (Month)	Maximum Amount Detected	Detected Range	Unit Measurement	Regulatory Limit	Violation	MCLG	Sources in Drinking Water
MICROBIOLOGICAL CONTAMINANTS								
Total Coliform Bacteria ¹	4/16/2012	1 Positive Sample	N/A	N/A	MCL=5 or more positive samples in one month	No	0	Naturally present in the environment.
PHYSICAL & INORGANIC CONTAMINANTS								
Alkalinity, Total (as CaCO ₃)	6/12, 7/12, 8/12	74	13 to 74	mg/l	No Standard	No	N/A	
Barium	6/12, 8/12	51	4.0 to 51	ug/l	2,000	No	2,000	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.
Calcium	6/12, 7/12, 8/12	21	12 to 21	mg/l	No Standard	No	N/A	
Calcium Hardness (as CaCO ₃)	6/12, 7/12, 8/12	51	30 to 51	mg/l	No Standard	No	N/A	
Chloride	6/12, 8/12	56	41 to 56	mg/l	MCL=250	No	N/A	Naturally occurring or indicative of road salt contamination.
Copper	6/12, 7/12, 8/12, 9/12	0.13 ²	ND to 0.17	mg/l	AL=1.3	No	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives.
Dissolved Solids, Total	6/12, 8/12	257	157 to 257	mg/l	No Standard	No	N/A	
Fluoride	8/12	0.11	ND to 0.11	mg/l	2.2	No		Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer & aluminum factories.
Hardness, Total (as CaCO ₃)	6/12, 8/12	82	53 to 82	mg/l	No Standard	No	N/A	
Iron	6/12, 7/12, 8/12	280	ND to 280	ug/l	MCL=300 ³	No	N/A	Naturally occurring.
Langelier Saturation Index (LSI)	6/12, 8/12	-2.31	-0.75 to -2.31	SI	No Standard	No	N/A	
Lead	6/12, 7/12, 8/12, 9/12	1.70 ⁴	ND to 42	ug/l	AL=15	No	0	Corrosion of household plumbing systems; erosion of natural deposits.
Magnesium	6/12, 8/12	8.2	3.4 to 8.2	mg/l	No Standard	No	N/A	
Manganese	6/12, 8/12	10	ND to 10	ug/l	300	No	N/A	Naturally occurring; indicative of landfill contamination.
Nickel	6/12, 8/12	2.3	ND to 2.3	ug/l	No Standard	No	N/A	Naturally occurring.
Nitrate (as Nitrogen)	6/12, 8/12	8.4	2.3 to 8.4	mg/l	MCL=10 ⁵	No	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.
Orthophosphate (as Phosphorus)	6/12, 7/12, 8/12	0.21	0.12 to 0.21	mg/l	No Standard	No	N/A	
pH	6/12, 7/12, 8/12	7.6	6.6 to 7.6	N/A	No Standard	No	N/A	
Sodium	6/12, 8/12	61	24 to 61	mg/l	⁶	No	N/A	Naturally occurring; road salt; animal waste; water softeners.
Specific Conductivity	6/12, 7/12, 8/12	460	230 to 460	umhos/cm	No Standard	No	N/A	
Sulfate	6/12, 8/12	44	25 to 44	mg/l	MCL=250	No	N/A	Naturally occurring.
Temperature	6/12, 7/12, 8/12	28	18 to 28	°C	No Standard	No	N/A	
Zinc	6/12, 8/12	0.54	0.14 to 0.54	mg/l	MCL=5	No	N/A	Naturally occurring.
RADIOACTIVE CONTAMINANTS								
Gross Alpha Activity	10/12	1.2	0.41 to 1.2	pCi/l	MCL=15	No	0	Erosion of natural deposits.
DISINFECTION BYPRODUCTS								
Total Haloacetic Acids ⁷	6/12, 9/12, 12/12	2.1	ND to 2.1	ug/l	MCL=60	No	N/A	Byproduct of drinking water chlorination.
Total Trihalomethanes ⁸	6/12, 9/12, 12/12	11	ND to 11	ug/l	MCL=80	No	N/A	Byproduct of drinking water chlorination.
UNREGULATED CONTAMINANTS								
Perchlorate	1/12, 2/12, 6/12, 7/12, 8/12, 10/12	1.7	ND to 1.7	ug/l	MCL=18	No	N/A	Oxygen additive in solid fuel propellant for rockets, missiles & fireworks.

Table Definitions

90th Percentile Value The values presented for lead and copper represent the 90th percentile. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system.

AL (Action Level) The concentration of a contaminant that, if exceeded, triggers treatment or other requirements which a water system must follow.

MCL (Maximum Contaminant Level) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

MCLG (Maximum Contaminant Level Goal) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

mg/l (Milligrams per Liter) Corresponds to one part of liquid in one million parts of liquid (parts per million—ppm)

MRDL (Maximum Residual Disinfectant Level) The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal) The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

N/A Not applicable.

ND (Non-detects) Laboratory analysis indicates that the constituent is not present.

pCi/L (Picocuries per Liter) A measure of the radioactivity in water.

SI (Saturation Index) A measurement of the Langelier Saturation Index (LSI). LSI is a calculated number used to predict whether water will precipitate, dissolve or be in equilibrium with calcium carbonate. A negative LSI indicates that water has no scaling potential; a positive LSI indicates that scale has the potential to form.

ug/l (Micrograms per Liter) Corresponds to one part of liquid in one billion parts of liquid (parts per billion—ppb).

umhos/cm (Micromhos per Centimeter) A measurement of specific conductivity. The specific conductivity is an indication of the degree of mineralization found in the water. The higher the number the more minerals there are in the water.

Table Notes

- 1 In April 2012, total coliforms were detected in one (1) sample of the 100 monthly routine compliance samples collected in our system during that month. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other potentially-harmful bacteria may be present. Four (4) additional samples were subsequently collected and total coliforms were not detected in those samples. Since total coliforms were detected in less than 5 percent of the samples collected during that month, the system did not have an MCL violation.
- 2 The value reported for copper represents the 90th percentile. In this case 50 samples were collected at your water system and the 90th percentile value was the fifth highest value (0.13 mg/l). The action level for copper was not exceeded at any of the sites tested.
- 3 Iron has no health effects. The limit for iron is set for aesthetics. At 1,000 ug/l a substantial number of people will note the bitter astringent taste of iron. Also, at this concentration, it imparts a brownish color to laundered clothing and stains plumbing fixtures with a characteristic rust color. Staining can result at levels of 50 ug/l, lower than those detectable to taste buds. Therefore, the MCL of 300 ug/l represents a reasonable compromise as adverse aesthetic effects are minimized at this level. Many multivitamins may contain 3,000 ug/l or 4,000 ug/l of iron per capsule. Higher levels of iron are allowed by the State when justified by the water supplier. The Water Authority uses zinc metaphosphate for sequestering the iron and treatment plants for the removal of iron.
- 4 The value reported for lead represents the 90th percentile. In this case 50 samples were collected at your water system and the 90th percentile value was the fifth highest value (1.7 ug/l). The action level for lead was exceeded in two (2) of the samples collected. The Water Authority resampled the water at the two (2) locations where the action level for lead was exceeded. The resamples indicated lead levels of no detection and 1.2.
- 5 Nitrate in drinking water at levels above 10 mg/l is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.
- 6 Water containing more than 20 mg/l of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/l of sodium should not be used for drinking by people on moderately restricted sodium diets.
- 7 Total Haloacetic Acids mean the sum of mono-, di-, and trichloroacetic acid, and mono- and di- bromoacetic acid.
- 8 Total Trihalomethanes (THMs) mean the sum of Chloroform, Bromodichloromethane, Dibromochloromethane, and Bromoform.

Lead in Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. The Water Authority is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested.

Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or at: <http://www.epa.gov/safewater/lead>.

Water Conservation Methods

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water. Saving water saves energy and some of the costs associated with both of these necessities of life. Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water storage tanks. It also lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential fire fighting needs are met.

You can play a role in conserving water and saving yourself money in the process by becoming conscious of the amount of water your household is using and by looking for ways to use less water whenever you can. The following suggestions will help you make your home “water efficient” without sacrificing comfort or changing lifestyles:

- Turn off your automatic lawn sprinkler if rain is expected or install a rain sensor.
- Load your automatic dishwasher to its maximum capacity before running it. Dishwashers use approximately 15 gallons for every cycle regardless of how many dishes are loaded.
- Turn off the tap when brushing your teeth or while shaving.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilet for leaks by putting a few drops of food coloring in the tank. Watch for a few minutes to see if the color shows up in the bowl which will indicate a leak. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. By fixing it, you can save more than 30,000 gallons a year.
- Use your water meter to detect hidden leaks. Simply turn off all faucets and water using appliances, and be sure no one in your family uses water during the testing period. Note the water meter reading and check the meter after 15 minutes. If the dial indicator on the water meter moved, you have a leak.

2012 Statistics At-a-Glance

Wells Closed/Restricted	One
Violations of Standards	None
Number of Service Connections (Customers)	27,779
Population Served	120,000
Total Water Produced (billion gallons) ¹	4.16
Daily Average (million gallons)	11.37
Highest Single Day (million gallons)	18.60
Total Wells in System	24
Active Wells in System ²	23
Storage Facilities	4 ground, 3 elevated
Storage Capacity (million gallons)	11.8
Miles of Main	234
Fire Hydrants	2,432
Water Obtained or Disbursed through Interconnections With Other Water Suppliers	None
Average Annual Residential Water Rates (based on 100,000 gallons) ³	\$343

¹ Approximately 82.0 percent of the water produced in 2012 was billed directly to customers and 7.1 percent was used for main flushing, hydrant testing and maintenance, and station and tank maintenance. The balance, or unaccounted for water of approximately 10.9 percent, was used for contractor activity, fighting fires, filling street sweepers and sewer cleaning trucks and also includes losses due to leaks, water main breaks and hit hydrants.

² Well number 15D, located in Elmont, was removed from service in the 1980s due to high nitrate levels.

³ Under the Water Authority's rate structure effective June 1, 2012 the average customer pays a minimum quarterly charge of \$33.75 for the first 9,000 gallons and \$3.246 per thousand gallons for the next 96,000 gallons used. Large users pay \$2.228 per thousand gallons for usage over 105,000 gallons.

Outside Water Use Restrictions

Lawn sprinkling remains the leading nonessential use of water. Your lawn needs about 1-1/2 inches of water a week, preferably in one watering. You shouldn't follow a fixed schedule, but water only when the grass or plants show signs of needing it. During a cool or cloudy spell, you don't need to water as often.

And, please remember that Nassau County watering regulations for lawns and gardens are in effect year-round. Outside water usage is prohibited between the hours of 10:00 a.m. and 4:00 p.m. year-round. Customers with odd-numbered addresses may only water on odd days of the month and customers with even-numbered (or no number) addresses may only water on even days of the month.

Customers in violation of the Nassau County watering regulations are subject to the following terms adopted by the Water Authority's Board of Directors on May 27, 2003:

1st Violation:	Warning
2nd Violation:	\$50 Service Charge
3rd Violation:	\$75 Service Charge
4th Violation:	\$150 Service Charge
5th Violation:	\$300 Service Charge
Each Additional:	\$300 Service Charge

These service charges will be billed to the customer's water service account.

System Improvements

In addition to the extensive monitoring and testing performed on our water supply, the Water Authority maintains, services and upgrades its water supply facilities and distribution system regularly. In 2012 capital projects completed or underway included the following:

- Completion of the construction of new iron removal plant at Well Station No. 28 in Elmont;
- Installation of 300 feet of new 8-inch water main and the replacement of 1 hydrant and 2 water services in Stewart Avenue between South 8th Street and South 9th Street in Stewart Manor to tie in 2 dead end water mains;
- Replacement of 1,800 feet of 100-year old 6-inch water main, 4 hydrants and 30 water services in Hathaway Drive, Garden City;
- Demolition of building at Well Station No. 40 in New Hyde Park, began construction of new headquarters office building at this site;
- Continuation of the installation of radio transmitters on residential accounts;
- Service and hydrant replacements;
- Meter change outs; and
- Vehicle and large equipment replacements.

Planned improvements for 2013 include:

- Completion of the construction of new iron removal plant at Well Station No. 30 in Franklin Square in early spring;
- Installation of 210 feet of new 12-inch water main and the replacement of 1 hydrant and 2 water services in N. Fletcher Avenue between Howell Road and Greenway Blvd. in North Valley Stream to connect 2 12-inch transmission water mains.
- Replacement of 800 feet of 100-year old 6-inch water main, 2 hydrants and 12 water services in Colvin Drive between Hathaway Drive and Hawthorne Road in Garden City;
- Completion of Phase II of the new headquarters office building in New Hyde Park;
- Completion of the installation of radio transmitters on residential accounts;
- Well pump bowl replacements;
- Service and hydrant replacements;
- Meter change outs; and
- Vehicle and large equipment replacements.



Completed Iron Removal Facility at Well Station No. 28

Annual Chairman's Report Summary of Untreated Well Water Quality Exceeding Standard or Two-Thirds of Standard (For Calendar Year Ended December 31, 2012) *

Substance	2012 Standard	Designation of Wells Exceeding Standard or Two-Thirds of Standard	Concentration (ug/l) Unless noted		Sample Date (2012)
			BEFORE Treatment	AFTER Treatment	
Chloride	250 mg/l	None	N/A	N/A	N/A
Nitrate	10 mg/l	None	N/A	N/A	N/A
1,1-Dichloroethane	5 ug/l	57 57A	8.1	ND	2/7
			11	ND	9/4
1,1-Dichloroethene	5 ug/l	57 57A	8.9	ND	6/26
			7.3	ND	6/26
cis-1,2-Dichloroethene	5 ug/l	57 57A	24	ND	2/7
			16	ND	9/4
Tetrachloroethene	5 ug/l	15B 20 35A 40A 57 57A	19	ND	6/26
			14	ND	1/23
			4.4	ND	2/8
			4.7	ND	1/25
			112	ND	2/7
Trichloroethene	5 ug/l	35A 44A 44C 57 57A	7.0	0.50	6/27
			8.5	ND	6/11
			8.6	ND	1/25
			126	ND	6/26
Vinyl Chloride	2 ug/l	57 57A	1.5	ND	2/7
			1.9	ND	6/26

Well Nos. 15B, 44A & 44C are located in Elmont
Well Nos. 20, 40A, 57 & 57A are located in New Hyde Park
Well No. 35A is located in Floral Park
N/A—Not Applicable
ND—Non Detection (Laboratory analysis indicates that the constituent is not present.)
*Note: No water is pumped into the distribution system until it has been treated.

Fiscal Year June 1, 2011 to May 31, 2012

Total Revenues Earned	\$12,988,000
Operating and Maintenance Expenses	\$8,001,000
Interest Expense on Long-term Debt	\$2,625,000
Interest Income	\$248,000
Miscellaneous Income	\$357,000

Additional expenses during the year included depreciation and amortization of original revenue bond and subsequent refinancing closing costs associated with the original purchase of the water system.

58 South Tyson Avenue
Floral Park, NY 11001

Phone: (516) 327-4100
Fax: (516) 327-4132
E-mail: inquiry@wawnc.org

Business Hours:
Monday through Friday
8:00 a.m. to 5:00 p.m.

**ACH & Credit Card payment
options now available.
Visit www.wawnc.org
for more details.**



2012 Annual Water Quality Report

About this Report

To comply with New York State (“State”) regulations, the Water Authority annually issues a report describing the quality of your drinking water. During 2012, our system was in compliance with applicable State drinking water operating, and reporting requirements.

During the 2012 calendar year, the Water Authority conducted more than 27,800 tests for over 150 drinking water contaminants. Last year, as in years past, your tap water met all United States Environmental Protection Agency (“EPA”) and State drinking water health standards.

This report provides an overview of last year’s water quality and includes details about where your water comes from, what it contains and how it compares to EPA and State standards. As in years past, our system was in compliance with all applicable State drinking water operating and reporting requirements as well as notification procedures.

If you have any questions about this report or your drinking water, please contact Robert Swartz, our Chief Engineer, at (516) 327-4100.

Share This Report

Landlords, businesses, schools, hospitals and other groups are encouraged to share this important water quality information with water users at their location who are not customers of the Water Authority of Western Nassau County.

Additional copies of this report are available on our website at www.wawnc.org.

Or contact our customer service department at:

(516) 327-4100

Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.